

*Price list of boxwood, ivory,
brass and steel measuring ...*

Rabone John and sons

This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.


GoogleTM books

<https://books.google.com>





600015179T



HOCKLEY ABBEY WORKS, BIRMINGHAM.

I N D E X .

	PAGES.
BEVILS—Boat and Ship Builders'	22
Cattle Gauge	51
Dipping Rods for Casks	21
Glasses for Spirit Levels	30
Gauging Rods for Casks	21
Gunter's Navigation Scale	16
LEVELS—Patent Adjusting Plumb	36, 37
Field Sight	32, 33
Masons'	35
Brass	34
Iron	34, 35
Plumb	32, 33, 36, 37
Surveying	33
RULES—Architects'	10, 19
Bench	23
Boxwood, 4-fold	3 to 11
„ 2-fold	12 to 17
Brass	14
Brass Bound, 4-fold	9
„ „ 2-fold	14, 16
Builders'	10, 19
Calliper Gauge	11, 18, 20
Cotton Spinners'	17
Chain Gauge	11
Counter	21, 23
Engine Divided Steel	40, &c.
Engineers' and Smiths' Steel	48, 49

	PAGES.
RULES—Engineers', Carrett's	17
„ Cotton Spinners'	17
„ Hawthorn's	17
„ Locomotive	17
„ Routledge's	17
Glaziers' Laths and T Squares	23
Gauges, various	11
„ Chain and Rope	11
Gunter's Navigation Scale	16
Iron	14
Ironmongers'	11, 20
Ivory	18, 19, 20
Parallel	22
Plumb and Level combined	35
Saddlers'	23
Slide	11, 15, 16 17
Spirit Level combined	14
Shoemakers'	21
Steel	40 to 49
Tailors' Squares	22
TAPES—Spring	50, 51
Cattle Gauge	51
Girth	58
Metallic Wire	53
Linen	54, 55
Steel	56, 57
Tailors'	58
Shoe	58

✓
1806 . L . 17



PRICE LIST

OF

BOXWOOD, IVORY, BRASS AND STEEL

MEASURING RULES,

ENGINE DIVIDED STEEL STRAIGHT EDGES,

MEASURING TAPES,

WITH

METALLIC WIRE, STEEL, & LINEN TAPES,

BRASS, IRON, AND WOOD

SPIRIT LEVELS, &c.,

MANUFACTURED BY

JOHN RABONE & SONS,

(ESTABLISHED 1784),

HOCKLEY ABBEY WORKS,

BIRMINGHAM.

TRADE MARK.



TRADE MARK.



ORDERS EXECUTED ONLY THROUGH MERCHANTS AND FACTORS.

ENTERED AT STATIONERS' HALL

July, 1878.

HOCKLEY ABBEY WORKS,

BIRMINGHAM, July, 1878.

GENTLEMEN,

In issuing a New Edition of the Price List of the various articles manufactured by us, we have pleasure in pointing out to your notice that it is much more complete, and is better classified and arranged, than any heretofore presented. It has undergone an entire revision : A GREAT REDUCTION HAS BEEN MADE IN THE PRICES of many of the articles, *and in no case have any been increased.* This we have been enabled to do by the progressive improvements in our machinery, and the adaptation of the same to some of those processes, which till now have been effected by uncertain, and at the best, expensive hand labour.

The BOXWOOD RULES will all be found to be made of well-seasoned Boxwood of good quality, proportioned to the prices ; and instead of having only a few inches divided into sixteenths, as those usually made in the trade, they are marked outside in eighths, and inside in sixteenths the whole length of the rule.

The ENGINE DIVIDED STEEL RULES (pages 40, &c.) are especially recommended for the fineness and accuracy of their graduation, being marked from $\frac{1}{8}$ ths to $\frac{1}{16}$ ths of an inch, and are invaluable to Engineers, Machinists, and to all who require great exactness. The other Steel Rules (pages 48, 49) for Smiths' use, will be found to be superior to those usually made.

The STEEL MEASURING TAPES, and the METALLIC WIRED TAPES, will be found of superior quality, being marked by the most modern and approved methods.

In conclusion : Our aim will be, as it has been, to adopt every improvement in machinery, or otherwise, and to still progress and excel in the quality of all goods manufactured by us ; and whenever reductions in prices of materials, or other means enable us, we shall offer to our friends, as we have hitherto done, every advantage in our power, and thus afford them greater inducements and facilities for the disposal of our goods with mutual credit and advantage.

Yours truly,

JOHN RABONE & SONS.

In ordering Rules *it is sufficient* to quote numbers and length, thus No 1155. 2 Feet.

If no **FOREIGN MEASURES** are specified in order, the goods will be sent English measure.

Box Rules are supplied **2-FEET ENGLISH AND FRENCH MILLIMETRES** at List Prices.

If required one metre long, they are charged 6d. to 2/- per dozen extra to 3 feet List Prices.
(excepting a few expensive patterns.)

Rules marked with **THREE MEASURES** are charged 1/- to 2/- per dozen extra to List Prices.


All Rules may be had with any **FOREIGN MEASURES** to order.

Two Feet, Four Fold Boxwood Rules.


EXTRA THICK.

Packed in Dozens in Paper Boxes


			2 feet.	3 feet.
No. 2325.	Round Joint, Extra Thick	$\frac{3}{4}$ inch wide	6/-	8/- per dozen.
.. 2326.	" " " "	$\frac{3}{4}$ inch wide	5/-	7/- "
.. 2329.	" " " "	1 inch wide	6/9	9/- "
.. 2333.	Square Joint	1 inch wide	10/-	13/- "
.. 2334.	Round Joint	$1\frac{1}{2}$ inch wide	8/6	— "



No. 2325.



No. 2329.



No. 2334.

FULL SIZE DRAWINGS.


John Rabone & Sons' Hall

One Foot, Four Fold Boxwood Rules,


MARKED INCHES IN 8ths & 16ths. FRENCH POLISHED.

Packed in Dozens in Paper Boxes.


					1 foot.
No. 2320.	Round Joint,	$\frac{1}{8}$ inch wide	5/6 per dozen.
„ 2321.	Square Joint,	$\frac{1}{8}$ inch wide	7/- „
„ 2322.	Arch Joint,	$\frac{1}{4}$ inch wide	9/- „
„ 2324.	Arch Joint, Edge Plates,	„ „	12/- „




No. 2320.



No. 2321.



No. 2322.




No. 2324.

Two Feet, Four Fold Boxwood Rules.


MARKED INCHES IN 8ths & 16ths. FRENCH POLISHED.

Packed in Dozens in Paper Boxes.

					2 feet.	3 feet.
No. 2336.	Round Joint,	1 inch wide	7/-	9/6 per dozen.
„ 2339.	Square Joint,	1 inch wide	8/6	11/- „
„ 2338.	„ „ Ex. Strong Small Joints,	„ „	10/-	13/- „



No. 2336.



No. 2339.

FULL SIZE DRAWINGS.




Sold. Stationery Hall.

Two Feet, Four Fold Boxwood Rules,

FRENCH POLISHED.

Packed in Dozens in Paper Boxes.

						2 feet.	3 feet.
No. 2545.	Arch Joint, Inches in 8ths, 16ths and 10ths ...	1 inch wide ...	10/-	12/-	per dozen.		
" 2546.	" " " " " " ...	1 inch wide ...	11/-	13/6	"		
" 2547.	" " " " " " ...	1½ inch wide ...	12/6	15/6	"		
" 2548.	" " " " " " ...	1¾ inch wide ...	14/6	17/6	"		
" 2549.	" Inches in 8ths, 16ths and Scales ...	1½ inch wide ...	16/6	20/-	"		

No.
2545.No.
2547.No.
2548.No.
2549.

FULL SIZE DRAWINGS.


Sold. Stationers' Hall.

Two Feet, Four Fold Boxwood Rules,


MARKED INCHES IN 8ths & 16ths. FRENCH POLISHED.

Packed in Half-Dozens in Paper Boxes.


								2 feet.	3 feet.
No. 2341.	Arch Joint, Ex. Strong Small Joints, Brass Pin Holes	$\frac{3}{4}$ inch wide	14/-	17/- per dozen.
" 2344.	" " " " " " "	1 inch wide	14/-	17/- "
" 2349.	" " " " " " "	$1\frac{1}{8}$ inch wide	16/-	19/- "
" 2352.	" " " " " " "	$1\frac{3}{8}$ inch wide	18/-	21/- "
" 2355.	" " " " " " "	$1\frac{1}{2}$ inch wide	20/-	23/- "
" 2357.	Engraved Arch Joint, Ex. Strong Small Joints, Brass Pin Holes	$1\frac{1}{8}$ inch wide	24/-	27/- "




No.
2344.



No.
2349.



No.
2355.



No.
2357.

FULL SIZE DRAWINGS.

Printed, Stationers' Hall.


Two Feet, Four Fold Boxwood Rules,

MARKED INCHES IN 8ths & 16ths. FRENCH POLISHED.


Packed in Half-Dozens in Paper Boxes.

The Small-Joints of these Rules are of a new description, both the edge-plates and the middle-plates forming part of the hinge of the Joint thus giving the Rule a strength, durability and style never before attained.


No									2 feet.	3 feet.
										per doz
No 2342.	Arch Joints, Edge-plates, Inches in 8ths, 16ths, 10ths and 12ths	...						$\frac{3}{4}$ inch wide	20/-	23/-
" 2345.	" " " " " " " "	"						1 inch wide	20/-	23/-
" 2350	" " " " " " " "	"						& Scales $1\frac{1}{8}$ inch wide	22/-	25/-
" 1110.	" " " " " " " "	"						$1\frac{3}{8}$ inch wide	23/-	26/-
" 2358.	" " " " " " " "	"						$1\frac{1}{2}$ inch wide	25/-	28/-




No.
2345



No.
2350



No.
1110



No.
2358

FULL SIZE DRAWINGS.


Print. Stationers Hall.

Two Feet, Four Fold Boxwood Rules,


MARKED INCHES IN 8ths, 16ths, 10ths and 12ths. FRENCH POLISHED.

Packed in Half-Dozens in Paper Boxes.


							2 feet.	3 feet.
No. 2361.	Double Arch Joint, Brass Pin Holes	$\frac{3}{4}$ inch wide	22/-	25/- per dozen.
" 2362.	" " " " "	1 inch wide	22/-	25/- "
" 2363.	" " " " and Scales	$1\frac{1}{8}$ inch wide	24/-	27/- "
" 2364.	" " " " "	$1\frac{3}{8}$ inch wide	26/-	29/- "
" 2365.	" " " " "	$1\frac{1}{2}$ inch wide	28/-	31/- "
" 2366.	" " Brass Bound Edges	$1\frac{5}{8}$ inch wide	48/-	66/- "




No.
2362.



No.
2363.



No.
2364.



No.
2365.

FULL SIZE DRAWINGS.

Edw. S. S. S. S.


Two Feet, Four Fold Boxwood Rules,

MARKED INCHES IN 8ths, 16ths, 10ths and 12ths. FRENCH POLISHED.


WITH ARCH JOINTS & BRASS BOUND EDGES.

Packed in Half-Dozens in Paper Boxes.


							2 feet.	3 feet.
No. 1112.	Arch Joint, Outside Edges Brass Bound	1½ inch wide	23/-	36/- per dozen.
" 1113.	" " " " " " " " " "	1½ inch wide	28/-	42/- "
" 1114.	" " " " " " " " " "	1½ inch wide	33/-	48/- "
" 1115.	" Outside and Inside Edges Brass Bound	1½ inch wide	30/-	50/- "
" 1116.	" " " " " " " " " "	1½ inch wide	36/-	56/- "
" 1117.	" " " " " " " " " "	1½ inch wide	42/-	65/- "




No.
1112.



No.
1113.



No.
1114.



No.
1116.

FULL SIZE DRAWINGS.

Engd. Stationers' Hall.

Two Feet, Four Fold Boxwood Rules,


MARKED INCHES IN 8ths, 16ths, 10ths, and 12ths.

The Inside Edges of these Rules are Bevelled and marked with various Drawing Scales, and are much esteemed by Architects, Builders, Carpenters, and all who draw or work from plans.


Packed in Half-Dozens in Paper Boxes.

									2 feet.	3 feet.
No. 1118.	Arch Joint, Bevelled Edges with 8 Scales	1 inch wide	22/-	30/- per dozen.		
" 1119.	" Edge-plates, Bevelled Edges with 8 Scales	1½ inch wide	30/-	39/-	"	
" 1120.	" " " " " " " " " " " "	1½ inch wide	36/-	45/-	"	
" 1121.	" G.S. Mounts " " " " " " " " " " " "	1 inch wide	42/-	54/-	"	
" 1122.	" " " " " " " " " " " " 16 Scales, Angles on Joints	1½ inch wide	54/-	66/-	"	
" 1123.	" and Edge-plates " " " " " " " " " " " " " " " "	1½ inch wide	66/-	78/-	"	


Half size Drawings.




No.
1118.



No.
1119.




No.
1120.




No.
1121.

GERMAN SILVER MOUNTS.



No.
1122.

GERMAN SILVER MOUNTS.




No.
1123.

GERMAN SILVER MOUNTS.

HALF SIZE DRAWINGS.

Edw. Kottmann's Ed.

Boxwood Rules, with Slides and Calliper Gauges. *Half Size Drawings.*




Boxwood Rope and Chain Gauge,
2 inches wide.

4 inch long, **No. 2376.** 26/- per dozen.


6 inch long, **No. 2377.** 32/- „

Two Feet, Four Fold Boxwood Rule, Brass Slide.
1½ inch wide.



No. 2378. 28/- per dozen

Two Feet Four Fold Boxwood Rule, Brass Slide.
1½ inch wide.




No. 2379. 39/- per dozen.

One Foot, Four Fold Boxwood Rule, Calliper Gauge
1 inch wide.




No. 2381. 28/- per dozen.

Two Feet, Four Fold Box Slide Rule.
1½ inch wide.




No. 2380. 36/- per dozen.

Two Feet, Four Fold Calliper Gauge Rule. 1½ inch wide.




No. 2382. 46/- per dozen.

Two Feet Four Fold Ironmongers' Rule, or Iron Gauge. 1½ inch wide.



No. 2383. 54/- per dozen.

One Foot, Three Fold Ironmongers' Rule or Iron Gauge. 1½ inch wide.



No. 2384. 36/- per dozen.

HALF SIZE DRAWINGS.







Sold, Stationers' Hall

Two Feet, Two Fold Boxwood Rules,

MARKED INCHES IN 8ths, and 16ths.

Packed in Dozens in Paper Boxes.

No. 2386.	Round Joint, Thick Rule, Inches in 8ths	1½ inch wide	4/6 per dozen.
" 2388.	Square Joint, Inches in 8ths	1½ inch wide	6/6 "
" 2387.	" " " " and 8 Square Line	" "	7/9 "
" 2389.	Λ Joint, Inches in 8ths and 16ths, and 8 Square Line	" "	8/6 "
" 2390.	" " " " " " and Scales Polished	" "	10/6 "
" 2391.	" " " " " " Bevelled Edge, Polished	" "	11/6 "
" 1124.	Arch Joint, Inches in 8ths and 16ths, 8 Square Line	" "	9/3 "
" 2394.	" " " " Scales, Bevelled Edge, Polished	" "	10/- "

Half size Drawings.No.
2386.No.
2387.No.
2389.No.
2390.No.
1124.No.
2394.

HALF SIZE DRAWINGS.

Pubd. Stationery Hall.

Two Feet, Two Fold Boxwood Rules,


MARKED INCHES IN 8ths and 16ths. FRENCH POLISHED.

All $1\frac{1}{8}$ inch wide.


Packed in Dozens in Paper Boxes.

No. 2392.	Arch Joint, Brass Pin Holes, 8 Square Line and Scales	11/6 per dozen.
" 2393.	" " " " " " Bevelled Edge	13/- "
" 2393.	" " " " " " " " " "	15/- "
" 2398.	" " " " " " Double Bevelled Edges	17/- "
" 2400.	Vulcan Joint, " " " " " Bevelled Edge	16/- "
" 2401.	Atlas Joint, " " " " " " " "	16/- "
" 2402.	Vulcan Joint " " " " " Double Bevelled Edges	19/- "
" 2399.	Waterloo Joint, " " " " " " " "	20/- "
" 2404.	Engraved Arch Joint, 8 Square line and Scales, Bevelled Edge	12/- "
" 2405.	" " Brass Pin Holes, 8 Square Line and Scales, Bevelled Edges	16/- "
" 2406.	" " " " " " " Double Bevelled Edge	20/- "


Half Size Drawings.




No.
2393.




No.
2398.




No.
2400.



No.
2401.



No.
2402.



No.
2404.

HALF SIZE DRAWINGS.




End, Stationers' Hall.

Two Feet, Two Fold Boxwood Rules,



MARKED INCHES IN 8ths, and 16ths. FRENCH POLISHED.

All $1\frac{1}{8}$ inch wide.*Packed in Dozens in Paper Boxes.*

No. 2407.	Arch Joint, Brass Bound Edges	24/- per dozen.
„ 2410.	Grecian Joint, Extra Thin Rule, Bevelled Edge	20/- „
„ 2411.	Arch Joint, Spirit Level, and Degrees on Joint	36/- „
„ 2412.	„ „ „ „ „ with Brass Slide	48/- „
„ 2380.	Two feet, four fold Rule, Spirit Level, and Degrees on Joint	48/- „

Half size Drawings.**No.
2407.****No.
2410.****No.
2411.****Two Feet, Two Fold, Brass and Iron Rules.**

No. 2413.	Flexible Brass Rule Round Joint	$\frac{3}{4}$ inch wide ...	8/6 per dozen.
„ 1125.	„ „ „ „ „ ..	$\frac{1}{2}$ inch wide ...	11/6 „
„ 2414.	„ „ Grecian Joint	$1\frac{1}{2}$ inch wide ...	18/6 „
„ 2415.	Two feet, two fold Iron Rule	„ „ „ ..	6/- „

**No.
2413.****No.
2414.****No.
2415.**

HALF SIZE DRAWINGS.

Engr. H. M. M. M. M.

Two Feet, Two Fold Boxwood Rules,

MARKED INCHES IN 8ths and 16ths.

BRASS SLIDES. FRENCH POLISHED.


All $1\frac{1}{2}$ inch wide.

Packed in Half-Dozens in Paper Boxes.


No. 2416.	Arch Joint, Slide marked Inches in 16ths	17/- per dozen
" 2417.	" " " " " "	Bevilled Edge	19/- "
" 1126.	" " " " " "	and Gunter's Line, Bevilled Edge	22/- "
" 2418.	" " " " " "	" " " " " "	25/- "
" 1127.	" " " " " "	" " " " " "	28/- "
" 2420.	Vulcan Joint " " " " " "	Bevilled Edge	24/- "
" 2421.	" " " " " "	and Gunter's Line, Bevilled Edge	27/- "
" 2423.	" " " " " "	" " " " " "	30/- "

Books of Instructions for "THE SLIDE RULE," by J. RABONE & SONS, 2/6 per dozen subject.


Half size Drawings.




No.
2417.




No.
2418.




No.
1127.



No.
2420.



No.
2421.



No.
2423.

HALF SIZE DRAWINGS.

R&M. Stationers' Hall.

Two Feet, Two Fold Boxwood Rules,

MARKED INCHES IN 8ths, and 16ths.

BRASS SLIDES. FRENCH POLISHED.

All $1\frac{1}{8}$ inch wide.

Packed in Half-Dozens in Paper Boxes.


No. 2425.	Arch Joint, Brass Slide, Brass Bound Edges ...	36/- per dozen.
„ 2426.	„ „ „ „ „ and Bevelled Edges ...	46/- „
„ 2424.	„ Ivory Slide Bevelled Edge ...	51/- „
„ 1128.	„ Brass Slide, Tables for Timber Measuring ...	30/- „
„ 1129.	2 feet, 3 fold Rule, Ivory Slide, Tables for Timber Measuring	66/- „

Books of Instructions for "THE SLIDE RULE," by J. RABONE & SONS, 2/6 per dozen subject.


Half size Drawings.



No.
2425.




No.
2426.



No.
2424.

Boxwood Gunter's Navigation Scales.




No. 2427. 12 inch, 14/- 24 inch, 20/- per dozen.


One Foot, Four Fold Ivory Rules.

No. 2436.	Round Joint, Brass Mounts	1/2 inch wide.	24/6 per doz.
" 2436.	" " " "	" " "	20/- "
" 2437.	Square Joint " "	" " "	37/- "
" 2438.	" G. S. Mounts	" " "	43/- "
" 2439.	Round Joint, Brass Mounts	3/4 inch wide.	42/- "
" 2440.	Arch Joint, G. S. Mounts	" " "	69/- "
" 2441.	" Edge Plates, G. S. Mounts	" " "	92/- "
" 2442.	" G. S. Mounts, Calliper Gauge	" " "	10/6 each.
" 2443.	" " " "	1 inch wide.	9/- each.
" 2444.	" " " Calliper Gauge	" " "	14/- each.
" 2445.	" " " " and Iron Tables	1 1/2 inch wide.	17/6 each.
" 2446.	One foot, three fold Ironmongers' Rule, G. S. Mounts, Calliper Gauge and Iron Tables	" " "	20/6 each.
" 2434.	Six inch, two fold Ivory Rule, Brass Mounts	1/2 inch wide.	10/- per doz.


Full size Drawings.




No. 2435.




No. 2442.




No. 2437.




No. 2444.




No. 2440.



No. 2443.



No. 2445.



No. 2446.

FULL SIZE DRAWINGS.

Engd. Stationers' Hall.


Two Feet, Four Fold Ivory Rules.

No. 2448.	Round Joint, Brass Mounts	$\frac{1}{2}$ inch wide	5/- each.
" 2449.	" " "	$\frac{3}{4}$ inch wide	8/6 "
" 2450.	Arch Joint, G. S. Mounts	" " "	10/6 "
" 2451.	" Edge Plates, G. S. Mounts	" " "	12/- "
" 2452.	" G. S. Mounts	1 inch wide	13/6 "
" 2454.	" " "	$1\frac{1}{8}$ inch wide	17/- "
" 2455.	" Edge Plates, G. S. Mounts	" " "	18/6 "
" 2456.	" G. S. Mounts	$1\frac{1}{2}$ inch wide	23/- "


With Inside Edges Bevelled, and marked with Drawing Scales for Architects', Builders', Surveyors' and others.

No. 2458.	With 8 Scales	1 inch wide	17/- each.
" 2459.	With 16 Scales and Angles on Joint	$1\frac{1}{8}$ inch wide	20/- "


Full size Drawings.



No.
2450.



No.
2458.






No.
2459.

Engd. Stationers' Hall.

Two Feet, Four Fold Ivory Rules.

WITH SLIDES & CALLIPER GAUGES.

- No. 2453.** Arch Joint, Calliper Gauge, G. S. Mounts ... 1 inch wide. 18/6 each.
- .. **2447** Arch Joint, Calliper Gauge, Iron and Copper Tables, for Ironmongers' use ... 1½ inch wide. 23/- „
- .. **2457** Routledge's Engineers' Rule, Arch Joint, G. S. Mounts, Slide, and Engineers' Table 1½ inch wide. 31/- „

Full size Drawings.No.
2453.No.
2457.No.
2447.

FULL SIZE DRAWINGS.

Edw. Mottersell & Co.


Shoemakers' Size Sticks.

No. 2478.	Folding Size Stick, Brass Feet, Inches and Shoe Sizes ...	$\frac{1}{4}$ inch wide.	9/- per dozen.
" 2479.	" " " " " " " " ...	$\frac{1}{2}$ inch wide.	11/6 "
" 2480.	" " " " " " " " ...	$\frac{3}{4}$ inch wide.	14/- "
" 2481.	" " " Wood Feet " " " " ...	1 inch wide.	17/6 "
" 1132.	" " " " " " " " ...	$\frac{3}{4}$ inch wide.	15/6 "
" 2482.	Size Stick to fold to 6 Inches, with Feet to fold inside ...	1 inch wide.	18/- "
" 1133.	Straight Counter size Stick	$\frac{3}{4}$ inch wide.	15/6 "

Half size Drawings.




No.
2478.



No.
2481.

Gauging Rods.

No. 1134.	Four feet Gauging Rod, Brass Tipped, Imperial Gallons	32/- per dozen.
" 2483.	" " " " " " " " and Tables of Oute	42/- "
" 2484.	" " " " " " Imperial and Old Wine Gallons and Imperial Tables of Oute	54/- "



No.
2483.



No.
2484.

Brass Counter Measures, FOR SCREWING DOWN ON COUNTERS.


No. 2485.	Three feet Counter measure, marked Nails	$\frac{5}{8}$ inch wide.	20/- per doz.
" 2486.	" " " " Inches	" " "	25/- "
" 2487.	" " " " Inches and Nails	1 inch wide.	33/- "
" 2488.	1 Metre " " " in Half Centimetres	$\frac{5}{8}$ inch wide.	30/- "
" 2489.	" " " " " " " " and English Inches	1 inch wide.	40/- "

HALF SIZE DRAWINGS.


Engl. Stationers' Hall.

Boat Builders' Bevils.


No. 2491.	12 inch Rosewood Bevils, Two Brass Tongues	10/- per dozen.
„ 2492.	„ „ „ „ „ „ extra strong	14/- „
„ 1135.	„ Boxwood „ „ „ „ marked inches in 8ths	10/- „
„ 2493.	„ „ „ „ „ „ extra strong, marked Inches in 8ths	14/- „

Half size Drawings.**No.
2492.****No.
2493.****Boxwood Tailors' Square,**

WITH BRASS JOINT TO FOLD. 2 INCH WIDE WHEN CLOSED.

**No 2494.**

18 in.	33/- per dozen.
21 in.	36/- „
24 in.	39/- „
27 in.	42/- „

Ebony Parallel Rule.**No. 2495.**

6 in.	5/6 per dozen.
9 in.	11/6 „
12 in.	15/- „
15 in.	20/- „
18 in.	24/- „
21 in.	30/- „
24 in.	40/- „

HALF SIZE DRAWINGS.*Edw. Hutton & Son.*

Laths and Bench Rules.

GLAZIERS' THIN LATHS. BRASS TIPPED.

$1\frac{3}{4}$ inch Wide. $\frac{1}{8}$ inch Thick. MARKED IN INCHES.

13/- 17/- 21/- per dozen.

No. 1136. 24 inch. 30 inch. 36 inch.

GLAZIERS' T SQUARES. BRASS TIPPED.

MARKED IN INCHES.

21/- 25/- 28/- per dozen.

No. 1137. 24 inch. 30 inch. 36/- inch.

Straight Bench Rules,

BRASS TIPPED. MARKED IN INCHES.

				2 feet.	3 feet.	4 feet.	5 feet.	6 feet.	
1 inch Wide.	$\frac{1}{8}$ inch Thick	No. 1138.	12/-	15/-	—	—	—	—	per dozen.
$1\frac{1}{2}$ inch Wide.	$\frac{1}{4}$ inch Thick	No. 1139.	—	18/6	27/-	45/-	—	—	
EXTRA STRONG.									
2 inch Wide.	$\frac{3}{8}$ inch Thick	No. 1140.	—	27/-	42/-	54/-	72/-	—	

Boxwood Saddlers' Rules,

BEVILLED EDGE. MARKED IN INCHES.

				2 feet.	3 feet.	
2 inch Wide.	$\frac{3}{8}$ inch Thick	No. 1141.	36/-	54/-	per dozen	

Drapers' Round Yard Sticks.

Common Marked with Nails ... No. 1142. 3/- per dozen.

Lancewood Marked with Inches and Nails ... No. 1143. 9/- „

Best Proved Spirit Level Tubes.

1½ inch.	2/6 per dozen.	3 inch.	4/- per dozen.	4½ inch.	6/- per dozen.
2 "	3/- "	3½ "	4/6 "	5 "	7/- "
2½ "	3/6 "	4 "	5/- "	6 "	12/- "

Warranted Spirit Levels,

FRENCH POLISHED. WITH BEST PROVED TUBES.


Half size Drawings.

BRASS PLATED LEVEL. No. 2496.




		6in.	8in.	9in.	10in.	12in.
Brass Plated Top	No. 2496.	9/3	12/6	14/-	15/6	18/6 per dozen.
Brass Plated Top and Bottom ...	„ 2498.	18/-	23/-	26/-	30/-	36/- „

BRASS PLATED LEVEL, TIPPED BOTTOM. No. 2500.



		8in.	9in.	10in.	12in.	14in.
Brass Plated Top	No. 2499.	18/-	20/-	23/-	28/-	32/- per dozen.
Brass Plated Top and Tipped Bottom	„ 2500.	23/-	25/-	27/-	33/-	37/- „
Brass Plated Top and Bottom ...	„ 2501.	30/-	33/-	37/-	44/-	53/- „

BEST SPIRIT LEVEL. BRASS PLATED TOP & BOTTOM. No. 2506.



		8in.	9in.	10in.	12in.	14in.	16in.	18in.	20in.	24in.
Brass Plated Top and Tipped Bottom	No. 2505.	28/-	30/-	32/-	37/-	41/-	50/-	62/-	74/-	103/- per doz
Brass Plated Top and Bottom ...	„ 2506.	34/-	38/-	42/-	48/-	58/-	70/-	84/-	100/-	138/- „

HALF SIZE DRAWINGS.


Edw. St. John's Hall.

Warranted Spirit Levels,

FRENCH POLISHED. WITH BEST PROVED TUBES.

*Half size Drawings.***EXTRA WIDE ROSEWOOD
BRASS PLATED LEVEL.**


No. 2502.



			8in.	9in.	10in.	12in.	14in.	18in.	
Brass Plated Top	No. 2502.	30/-	33/-	36/-	40/-	51 -	70/- per dozen.
" " "	and Bottom		" 2503.	40/-	45/-	49/-	56/-	68/-	100/- "

**EXTRA WIDE EBONY
BRASS PLATED LEVEL.**

No. 2514.



				8in.	9in.	10in.	12in.	
Brass Plated Top	No. 2514.	34/-	38/-	42/-	50/-	per dozen.
" " "	and Bottom...		" 2515.	48/-	53/-	58/-	66/-	"

**EXTRA SMALL
ROSEWOOD LEVEL.**

No. 2507.



				6in.	8in.	9in.	10in.	12in.	
Brass Plated Top and Tipped Bottom	No. 2507	18/-	23/-	27/-	30/-	36/-	per dozen.
Raised Brass Top and Tipped Bottom	" 2508.	—	27/-	30/-	33/-	40/-	"
Ebony Level, Plated Top and Tipped	" 2511.	—	28/-	32/-	36/-	40/-	"

**EXTRA SMALL
ROSEWOOD LEVEL.**

				8in.	9in.	10in.	12in.	
Ornamented Brass Plating and Tipped	No. 2509.	42/-	45/-	48/-	54/-	per dozen.		

EXTRA SMALL EBONY LEVEL.

Ornamented Brass Plating and Tipped.



	8in.	9in.	10in.	12in.		8in.	9in.	10in.	12in.
No. 2512.	34/-	40/-	46/-	56/- per dozen.		No. 2513.	43/-	49/-	55/- per dozen.

If with Protecting Slides for Glass Tube.


HALF SIZE DRAWINGS.

Sold. Stationers' Hall.

**Warranted Plumb and Spirit Levels,
WITH BEST PROVED TUBES. FRENCH POLISHED.**


Half size Drawings.

**BRASS PLATED
PLUMB AND LEVEL.
No. 2520.**




	8	9	10	12	14	16	18	20	inches.
Extra Best Brass Plated Plumb and Level No. 2520.	30/-	34/-	38/-	44/-	54/-	66/-	78/-	90/-	per doz.
Brass Plated Plumb and Level No. 2518.	23/-	26/-	29/-	34/-	40/-	—	—	—	"

**BRASS PLATED LEVEL
with FIELD SIGHT.
No. 2521.**



	8	9	10	12	14	inches.
Extra Best Brass Plated Level and Field Sight No. 2521.	36/-	41/-	46/-	55/-	64/-	per dozen.
Brass Plated Level and Field Sight No. 2519.	27/-	31/-	34/-	40/-	48/-	"

**ROSEWOOD
PLUMB & LEVEL,
FANCY BRASS PLATED.**



	8	9	10	12	14	inches.
No. 2516.	40/-	43/-	46/-	52/-	60/-	per dozen.


HALF SIZE DRAWINGS.

End Stationers' Hall.

Warranted Plumb and Spirit Levels,


WITH BEST PROVED TUBES. FRENCH POLISHED.

Half size Drawings.




BRASS PLATED PLUMB & LEVEL, with Field Sight.

	8	9	10	12	14 inches.
No. 2522.	46/-	50/-	55/-	64/-	72/- per dozen.



12 inch PLUMB & LEVEL, with Field Sight, with Graduated Screw Slide to shew fall per foot.

No. 2543. 8/6 each.



12 inch PLUMB & LEVEL, with Graduated Screw Slide to shew fall per foot.

No. 2544. 8/- each.

HALF SIZE DRAWINGS.

End. Stationers' Hall.

Warranted Spirit Levels,


WITH BEST PROVED TUBES.

*Half size Drawings.***BRASS ADJUSTING LEVEL,**
In neat Case.


	4	5	6	7	8	9	10	12	14	inches
No. 2524.	18/6	23/-	28/-	33/-	37/-	42/-	—	—	—	per dozen.
If extra strong „ 2525.	—	—	35/-	41/-	46/-	52/-	58/-	70/-	82/-	..

BRASS ADJUSTING LEVEL,
with Revolving Tube Protector,
in neat Case.


	6	7	8	9	10	12	14	inches
No. 2526.	35/-	41/-	46/-	52/-	58/-	—	—	per dozen
If extra strong „ 2527	40/-	47/-	54/-	66/-	72/-	90/-	108/-	..

SQUARE BRASS LEVEL.

	6	7	8	9	10	12	14	inches.
No. 2530.	20/-	24/-	27/-	31/-	35/-	42/-	66/-	per dozen

SQUARE BRASS LEVEL,
Raised Top and Field Sight.

	6	7	8	9	10	12	14	inches
No. 2528	48/-	56/-	64/-	72/-	80/-	96/-	120/-	per dozen.

IRON LEVEL,
with Brass Top.

	8	9	10	12	inches.
No. 2531	16/-	20/-	24 -	32/-	per dozen.
If all Brass „ 2532	30/-	34/-	40/-	52/-	..

HALF SIZE DRAWINGS.

Kield Street London E.C. 4

Warranted Spirit Levels,

WITH BEST PROVED TUBES.

*Half size Drawings.***RABONES' SUPERIOR BRIGHT IRON LEVEL, Brass Top.**


To Screw on Joiners' Square or Rule.




No. 2533. 9/- per dozen.

IRON LEVEL, Black Japanned.

To Screw on Joiners' Square or Rule.




No. 2534. 7/- per dozen.

**SMALL BRASS LEVEL,
in Boxwood Case.**

2½ inch Level. No. 2536. 11/6 per dozen.

4 inch Level. „ 2537. 20/- „

Superior Strong Iron Level,with Screw Adjustment and Scale, for shewing
inclination per yard,
especially adapted for
Gas and Water Works.

No. 1375. 9 inch, 6/6 each.

12 inch, 11/- each.

Masons' Boxwood Rule and Plumb Level.

No. 2540. 12 inch, 33/- per doz.

18 inch, 45/-

24 inch, 58/- per doz.

Masons' Boxwood Rule Level.

No. 2538. 12 inch 25/- per dozen.

HALF SIZE DRAWINGS.

Kato. Stationers. Hall


JOHN RABONE & SONS, ENGINE DIVIDED STEEL RULES.

These Rules are made of best quality steel, well hardened and tempered; are reliable straight edges, and are Engine divided with unvarying accuracy.


They are made with one rounded end, and with hole for hanging up, but may be had with both ends square if so ordered, at same prices.

The 4 inch and 6 inch Rules are $\frac{3}{8}$ inch wide \times 22 W.G. thick. The 1 foot Rules are $1\frac{1}{2}$ inch wide \times 19 W.G. thick.


If Nickel Plated, 1 foot, 6/- per doz. extra subject.



10/- per doz.
No. 13. 4 inch.




No. 32. 6 inch. 12/- per doz.



No. 11. 1 foot. 15/- per doz.



FRONT OF RULE No. 42.



BACK OF RULE No. 42. 1 foot. 30/- per doz.

In ordering these Rules from the following List, it is sufficient to quote the number of Rule and length required thus—No. 10, 12 inch, or No. 10, 4 inch.

The numbers under columns marked "Top Edge," "Bottom Edge," are the subdivisions of inches into which the Rule is marked.

EXAMPLE.—Rule No. 14 is marked on Top Edge, 3 inches into 20^{ths}, 1 inch into 50^{ths}, 1 inch into 100^{ths}, and remaining 7 inches into 10^{ths}; and on the Bottom Edge, 3 inches into 32^{nds}, 1 inch into 64^{ths}, and remaining 8 inches into 13^{ths}.

Any other measures or markings not in the following list, can be made to order at same prices.

JOHN RABONE & SONS, ENGINE DIVIDED STEEL RULES,

WARRANTED CORRECT.


Sub-Divisions of Inches into which the different Edges of the Rules are Marked.					PRICE PER DOZEN.		
No. of Rule.	FRONT OF RULE.		BACK OF RULE.		4-Inch Long.	6-Inch Long.	1-Foot Long.
	TOP EDGE.	BOTTOM EDGE.	TOP EDGE.	BOTTOM EDGE.			
LONDON marked on two edges.							
10	8ths.	16ths.			8/-	9/-	12/-
11	16ths.	32nds 64ths. 8ths.			10/-	11/-	15/-
12	10ths.	16ths.			8/-	9/-	12/-
13	20ths. 50ths. 10ths.	32nds 64ths. 16ths.			10/-	11/-	15/-
14	20ths. 50ths. 100ths. 10ths.	32nds 64ths. 16ths.			15/-	16/-	20/-
15	12ths.	16ths.			8/-	9/-	12/-
16	24ths. 48ths. 12ths.	32nds 64ths. 16ths.			10/-	11/-	15/-
17	24ths. 48ths. 96ths. 12ths.	32nds 64ths. 16ths.			15/-	16/-	20/-
LONDON MEASURE marked on four edges.							
24	12ths.	16ths.	10ths.	8ths.			18/-
25	16ths.	32nds 64ths. 8ths.	8ths.	16ths.			20/-
26	24ths. 48ths. 12ths.	32nds 64ths. 8ths.	20ths. 50ths. 10ths.	16ths.			22/-
27	24ths. 48ths. 96ths. 12ths.	32nds 64ths. 16ths.	20ths. 50ths. 100ths. 10ths.	16ths.			26/-
LONDON & METRE, marked on two edges.							
	METRE.	LONDON.					
31	Millimetres.	8ths.			9/-	10/-	14/-
32	Millimetres.	16ths.			10/-	12/-	16/-
33	Millimetres.	10ths.					16/-
34	{ Half Millimetres and Millimetres. }	32nds 64ths. 16ths.			12/-	14/-	18/-
35	" " "	20ths. 50ths. 10ths.			12/-	14/-	18/-
36	" " "	20ths 50ths. 100ths. 10ths.					22/-
LONDON & METRE, marked on four edges.							
	METRE.	LONDON.	LONDON.	LONDON.			
40	Millimetres.	16ths.	10ths.	12ths.	14/-	16/-	21/-
41	{ Half Millimetres and Millimetres. }	32nds 64ths. 16ths.	20ths. 50ths. 10ths.	24ths. 48ths. 12ths.	18/-	21/-	26/-
42	" " "	" " "	20ths. 50ths. 100ths. 10ths.	24ths. 48ths. 96ths. 12ths.			30/-

For Drawings and Descriptions of these Rules see opposite page.

The Numbers in most usual demand are 10, 11, 13, 14, 25, 32, 34, 42.

For these Rules marked with Foreign Measures, see pages, 42 to 47.

JOHN RABONE & SONS, ETCHED STEEL RULES FOR SMITHS, &c.




Flexible 2-foot 2-fold STEEL RULE, Spring Button Joint and Brass Bits at end.

No. 1291. 15/- per doz.


If without stop in Joint and Brass Bits.

No. 1312. 12/- per dozen.



**Very thin and flexible STEEL RULE,
to fold to 3 inches.**

No. 1296, see List below.



**Very thin and flexible STEEL RULE,
to fold to 4 inches.**

No. 1297, see List below.

These Steel Rules are made of best Hardened and Tempered Steel, and are etched on both sides
May be had marked with any foreign measures, or with two measures at same prices.

No. of Rule.		1-foot.	2-feet.	3-feet.	$\frac{1}{2}$ metre.	1 metre.	$\frac{1}{2}$ Ar- chine.	1 Ar- chine.
1296	$\frac{3}{8}$ inch wide, to fold into 3 inches, G.S. rivets ...	5/-	10/-	15/-	8/-	16/-	5/-	10/-
1297	$\frac{3}{8}$ inch wide, to fold into 4 inches, G.S. rivets ... Leather Cases for above, 2/6 per doz. extra.	5/-	10/-	15/-	8/-	16/-	5/-	10/-
1295	$\frac{1}{2}$ inch wide, to fold into 6 inches, G.S. rivets ...	6/-	11/-	15/-	9/-	16/-	6/-	12/-
1294	$\frac{1}{2}$ inch wide, to fold into 6 inches, strong, with Button Joints ...	9/-	16/-	24/-	13/-	25/-	10/-	18/-
1291	2-feet 2-fold Spring Button Joint, and Brass Bits at ends, 15/- per dozen.	PER DOZEN.						
1312	Same Rule as 1291, but without stop in Joint and Brass Bits, 12/- per dozen.							
1290	Same as 1291, but 1-foot long, without Joint, 6/- per dozen.							
1292	Straight Edge, marked on both sides, 1-foot, 18/- ; 18-inch, 27/- ; 24-inch, 36/- per dozen.							

The Rules in most usual demand are 1291, 1296, and 1297

JOHN RABONE & SONS, STEEL STRAIGHT EDGES.

No.	BRIGHT HARDENED STEEL STRAIGHT EDGE, one edge bevelled, and hole at end for hanging up.	12	18	24	30	36	42	48	54	60	inches
1298	1½ inch wide × 14 W.G. thick	2/-	3/-	4/-							each.
1299	1¾ inch wide × 13 W.G. thick				5/6	6/9	8/-				"
1300	2 inch wide × 12 W.G. thick							10/-	11/3	12/6	"

The above may be had Nickel Plated at 6d. per dozen square inches extra.

SHOEMAKERS' STEEL STRAIGHT EDGE.

- 1310 1⅝ inch wide × 12 W.G. thick, marked inches in 8^{ths} one side and Shoe sizes other side.
18 inch, 30/- per dozen. 24 inch, 40/- per dozen.

STEEL COUNTER MEASURE, FOR SCREWING TO COUNTER.

- 1311 3 feet. long, 1¼ inch wide × 16 W.G. thick, marked inches in ⅛, and Nails, and parts of yard.
24/- per dozen.

For Brass Counter Measures see Page 19.

Rabones' Patent Spring Measuring Tapes.

Packed in Half Dozens in Paper Boxes.

MARKED WITH ONE OR TWO MEASURES TO ORDER.


Full size Drawings.

This article is the best and cheapest Spring Measure yet introduced. The Case has rounded edges, is highly finished, and Nickel Plated.

The Button sunk in the centre of the Case forms the Stop, which being pressed allows the tape to close into the case.

The Tape is carefully prepared and marked with Indelible Ink and is fastened on the ring with a Plated Mount.


The mouth of the case is framed to prevent the Tape wearing.



3 feet. 6 feet.
No. 298. 14/- 19/- per dozen.

Nickel Plated Stop Case as above, with accurately marked
Flexible. **STEEL TAPE.**


3 feet. 6 feet.
No. 299. 21/- 36/- per dozen.



Nickel Plated Case as above, but without Stop.

LINEN TAPE.

3 feet. 6 feet.
No. 300. 10/- 15/- per dozen.



Supplied with Foreign Measures at same prices.

FULL SIZE DRAWINGS.


Ensl. Stationers' Hall.

Spring Measuring Tapes.

Packed in Quarter Dozens in Paper Boxes.

WITH FINE LINEN TAPES. WITH ONE OR TWO MEASURES TO ORDER.

Full size Drawings.



- No. 302. Brass Case Spring Stop ...
 303. German Silver Case, Spring Stop ...
 330. Brass Case, Spring Stop ...
 331. German Silver Case, Spring Stop ...


3	4	5	6	9	12	18	feet.
20/-	22/-	24/-	26/-	36/-	42/-	72/-	per doz.
26/-	29/-	32/-	36/-	48/-	60/-	90/-	„
... 24 feet, 9/- each.				33 feet, 11/- each.			„
... „ 10/6 „				„ 13/- „			„

Spring Measuring Tapes,

WITH


Flexible Steel Tapes.

WITH ONE OR TWO MEASURES TO ORDER.



- No. 322. Brass Case, Spring Stop ...
 323. German Silver Case, Spring Stop ...

3	4	5	6	9	12	18	feet.
30/-	36/-	40/-	46/-	62/-	72/-	102/-	per doz.
36/-	42/-	48/-	54/-	72/-	90/-	120/-	„



SPRING MEASURING TAPE,

12 feet long,

Marked English feet, inches, and hands, and

CATTLE GAUGE,

For ascertaining weight of Cattle by measure,
 including full directions for use.

- No. 340. Brass Case, Spring Stop, Linen Tape, 7/- each.
 341. ditto ditto Steel Tape, 9/6 each.





FULL SIZE DRAWINGS.

Engd. Stationers' Hall

Spring Measuring Tapes with Stops.

Much esteemed in Countries where several Measures are in use.

Full size Drawings.

	No.	WITH FOUR MEASURES, two on each side.	3	4	5	6	feet.
	351.	Linen Tape, Brass Case	29/-	32/-	35/-	38/-	per dozen.
	353.	„ German Silver Case...	34/-	38/-	42/-	45/-	„
	355.	Steel Tape, Brass Case	36/-	42/-	48/-	56/-	„
	357.	„ German Silver Case...	42/-	48/-	56/-	63/-	„
		<hr/> <hr/>					
		WITH SIX MEASURES, three on each side.					
	359.	Linen Tape, Brass Case	33/-	36/-	40/-	43/-	„
	361.	„ German Silver Case...	40/-	43/-	47/-	50/-	„
	363.	Steel Tape, Brass Case	42/-	48/-	56/-	69/-	„
	365.	„ German Silver Case...	46/-	54/-	63/-	72/-	„
		<hr/> <hr/>					
		WITH THREE MEASURES, on one side, and feet and yards of various countries on the other.					
	367.	Linen Tape, Brass Case	32/-	36/-	40/-	44/-	„
	369.	„ German Silver Case...	38/-	44/-	48/-	54/-	„
	371.	Steel Tape, Brass Case	42/-	48/-	56/-	69/-	„
	373.	„ German Silver Case...	46/-	54/-	63/-	72/-	„
		<hr/> <hr/>					
		WITH FOUR MEASURES, on one side, and feet and yards of various countries on the other.					
	375.	Linen Tape, Brass Case	35/-	40/-	45/-	50/-	„
	377.	„ German Silver Case...	41/-	48/-	53/-	60/-	„

FULL SIZE DRAWINGS.


Edw. Stammers' Edw.

Wind-up Measuring Tapes, with Metallic Wired Tape.

These Tapes are specially made of the best fine Linen with **METALLIC WIRES** woven in the Tape and are then prepared, and marked with Indelible ink by special machinery with greatest accuracy. As supplied for Government Orders and the Admiralty.

Full size Drawing.

OF 66 FEET TAPE.



MARKED ENGLISH FEET ON ONE SIDE, AND LINKS AND POLES ON THE OTHER SIDE,
OR WITH ONE MEASURE.

WITH METALLIC WIRED BEST LINEN TAPE,

No. $\frac{1}{8}$ inch wide.

400. Leather Case, Folding Handle

401. " " Flush Handle...

404. Tapes only for the above }
(without Cases) ... }

24 feet.	33 feet or 10 metres	40 feet.	50 feet or 15 metres	66 feet or 20 metres	75 feet.	25 metres	100 feet or 30 metres	40 metres	50 metres.	
4/3	5/-	5/6	6/2	7/-	7/9	8/4	9/9	14/6	18/-	each.
4/9	5/6	6/-	6/8	7/9	8/6	9/1	10/9	16/-	19/6	"
1/11	2/6	3/-	3/5	4/-	4/6	5/-	6/6	—	—	"

If Marked on both sides of the Tape.

WITH METALLIC WIRED BEST LINEN TAPE,

No. $\frac{1}{8}$ inch wide.

400. Leather Case, Folding Handle

401. " " Flush Handle...

404. Tapes only for the above }
(without Cases) ... }

24 feet.	33 feet or 10 metres	40 feet.	50 feet or 15 metres	66 feet or 20 metres	75 feet.	25 metres	100 feet or 30 metres	40 metres	50 metres.	
4/6	5/3	5/9	6/6	7/6	8/3	8/11	10/6	15/3	19/-	each.
5/-	5/9	6/3	7/-	8/3	9/-	9/8	11/6	16/9	20/6	"
2/2	2/9	3/3	3/9	4/6	5/-	5/7	7/3	—	—	"

ANY FOREIGN MEASURES TO ORDER.


Entd. Stationers' Hall.

Wind-up Measuring Tapes, WITH Fine Linen Tapes.

These Tapes are made of the best fine Linen, carefully prepared, marked in Indelible ink with the greatest accuracy, by special Machinery.

Full size Drawing.

OF 66 FEET TAPE.



MARKED ENGLISH FEET AND INCHES ON ONE SIDE, AND LINKS AND POLES ON THE OTHER,
OR WITH ONE MEASURE.

WITH BEST LINEN TAPE,

No. $\frac{5}{8}$ inch wide.

	24 feet.	33 feet or 10 metres.	40 feet.	50 feet or 15 metres.	66 feet or 20 metres.	75 feet.		100 feet or 30 metres.	
405. Leather Case, Folding Handle ...	3/3	3/9	4/3	4/11	5/6	6/-	6/4	7/3	each.
406. " " Flush Handle ...	3/9	4/3	4/9	5/5	6/-	6/9	7/2	8/3	"
409. Tapes only for the above (without Cases)	11d.	1/3	1/8	2/-	2/6	2/10	3/1	3/9	"

If Marked on both sides of the Tape.

WITH BEST LINEN TAPE,

No. $\frac{5}{8}$ inch wide.

	24 feet.	33 feet or 10 metres.	40 feet.	50 feet or 15 metres.	66 feet or 20 metres.	75 feet.		100 feet or 30 metres.	
405. Leather Case, Folding Handle ...	3/6	4/-	4/6	5/3	6/-	6/6	6/11	8/-	each.
406. " " Flush Handle ...	4/-	4/6	5/-	5/9	6/6	7/3	7/9	9/-	"
409. Tapes only for the above (without Cases)	1/2	1/6	1/11	2/4	3/-	3/4	3/8	4/6	"

ANY FOREIGN MEASURES TO ORDER.


Encl. Stationery' Bldg.

Wind-up Measuring Tapes,

WITH

Linen Tapes—*Continued.**Full size Drawing.*

OF 66 FEET TAPE.



MARKED ENGLISH FEET AND INCHES ON ONE SIDE, AND LINKS AND POLES ON THE OTHER,
OR MARKED ONE SIDE ONLY.

WITH LINEN TAPE,

No.	$\frac{1}{2}$ inch wide.	24 feet.	33 feet or 10 metres.	40 feet.	50 feet or 15 metres.	66 feet or 20 metres.	75 feet.	100 feet or 30 metres.	
410.	Leather Case, Folding Handle ...	2/10	3/2	3/10	4/3	4/8	5/2	5/7	6/3 each.
411.	„ „ Flush Handle ...	3/4	3/8	4/4	4/9	5/5	5/11	6/4	7/3 „
414.	Tapes only for the above (without Cases)	10d.	1/2	1/5	1/9	2/5	2/8	2/11	3/3 „

If Marked on both sides of the Tape.**WITH LINEN TAPE,**


No.	$\frac{1}{2}$ inch wide.	24 feet.	33 feet or 10 metres.	40 feet.	50 feet or 15 metres.	66 feet or 20 metres.	75 feet.	100 feet or 30 metres.	
410.	Leather Case, Folding Handle ...	3/-	3/4	4/-	4/6	5/-	5/6	6/-	6/9 each.
411.	„ „ Flush Handle ...	3/6	3/10	4/6	5/-	5/9	6/3	6/9	7/9 „
414.	Tapes only for the above (without Cases)	1/-	1/4	1/7	2/-	2/9	3/-	3/4	3/9 „

ANY FOREIGN MEASURES TO ORDER.

End. Stationers' Hall.

Wind-up Measuring Tapes, WITH Steel Tapes.

Full size Drawing.
OF 66 FEET TAPE.



STEEL MEASURING TAPES have not hitherto been so widely known and used as their reliability, and freedom from either shrinking or stretching, would entitle them to be. For the Surveyor, they are the most convenient, portable, and trustworthy measures of long lengths. They are accurately marked, and are superior to Chains, as they never alter their length, nor require revision as Chains do. They are also less bulky than the Metallic Wired Tapes, and are considerably lighter.

The weight of the 66 feet Steel Tape with case (No. 415) is only 13 ounces.

MARKED ENGLISH FEET AND INCHES ON ONE SIDE, AND LINKS AND POLES ON THE OTHER,
OR MARKED ONE SIDE ONLY.

WITH STEEL TAPE,

No. $\frac{3}{8}$ inch wide.

415. Leather Case, Flush Handle ...

417. Tapes only for the above (without Cases)

24 feet.	33 feet or 10 metres.	40 feet.	50 feet or 15 metres.	66 feet or 20 metres.	75 feet.	25 metres.	100 feet or 30 metres.	
10/-	12/-	14/-	17/-	21/-	24/-	27/-	30/-	each.
7/-	9/-	11/-	13/-	17/-	20/-	22/-	27/-	„

If Marked on both sides of the Tape.

WITH STEEL TAPE,

No. $\frac{3}{8}$ inch wide.

415. Leather Case, Flush Handle ...

417. Tapes only for the above (without Cases)

24 feet.	33 feet or 10 metres.	40 feet.	50 feet or 15 metres.	66 feet or 20 metres.	75 feet.	25 metres.	100 feet or 30 metres.	
12/-	15/-	17/-	20/-	26/-	30/-	33/-	36/-	each.
8/-	11/-	13/-	16/-	21/-	24/-	27/-	32/-	„

ANY FOREIGN MEASURES TO ORDER.

Edw. McKinnon's Hall.

Wind-up Measuring Tapes, WITH Steel Tapes—Continued.

MARKED ENGLISH FEET AND INCHES ON ONE SIDE, AND LINKS AND POLES ON THE OTHER,
OR MARKED ONE SIDE ONLY.

No.	WITH STEEL TAPE, $\frac{1}{2}$ inch wide.	24 feet.	33 feet or 10 metres.	40 feet.	50 feet or 15 metres.	66 feet or 20 metres.	75 feet.	25 metres.	100 feet or 30 metres.	
418.	Leather Case, Flush Handle ...	13/-	15/-	18/-	21/-	27/-	30/-	32/-	38/-	each.
420.	Tapes only for the above (without Cases)	8/-	11/-	13/-	16/-	21/-	24/-	27/-	32/-	"
	WITH STEEL TAPE, $\frac{5}{8}$ inch wide.									
421.	Leather Case, Flush Handle ...	15/-	18/-	21/-	25/-	32/-	35/-	38/-	44/-	"
423.	Tapes only for the above (without Cases)	10/-	13/-	15/-	19/-	25/-	29/-	31/-	38/-	"
	WITH STEEL TAPE, $\frac{3}{4}$ inch wide.									
424.	Leather Case, Flush Handle ...	17/-	20/-	24/-	28/-	36/-	40/-	43/-	50/-	"
426.	Tapes only for the above (without Cases)	11/-	15/-	17/-	21/-	29/-	33/-	36/-	44/-	"

If Marked on both sides of the Tape.

No.	WITH STEEL TAPE, $\frac{1}{2}$ inch wide.	24 feet.	33 feet or 10 metres.	40 feet.	50 feet or 15 metres.	66 feet or 20 metres.	75 feet.	25 metres.	100 feet or 30 metres.	
418.	Leather Case, Flush Handle ...	15/-	18/-	21/-	25/-	33/-	36/-	39/-	46/-	each.
420.	Tapes only for the above (without Cases)	10/-	13/-	16/-	20/-	27/-	30/-	33/-	40/-	"
	WITH STEEL TAPE, $\frac{5}{8}$ inch wide.									
421.	Leather Case, Flush Handle ...	17/-	21/-	25/-	30/-	38/-	42/-	46/-	54/-	"
423.	Tapes only for the above (without Cases)	12/-	16/-	19/-	24/-	31/-	36/-	39/-	48/-	"
	WITH STEEL TAPE, $\frac{3}{4}$ inch wide.									
424.	Leather Case, Flush Handle ...	20/-	24/-	28/-	34/-	44/-	48/-	52/-	62/-	"
426.	Tapes only for the above (without Cases)	14/-	19/-	22/-	27/-	37/-	41/-	45/-	56/-	"

Marked on both sides of the Tape.

No.	WITH STEEL TAPE, $\frac{3}{8}$ inch wide.	6 feet.	9 feet.	12 feet.	15 feet.	18 feet.	24 feet.	33 feet.	
427.	Brass Case, Flush Handle ...	5/6	6/6	8/-	10/-	11/-	13/-	16/-	each.
428.	German Silver Case, Flush Handle ...	6/-	7/-	8/6	11/-	12/-	15/-	18/-	"

ANY FOREIGN MEASURES TO ORDER.

Robt. Stammers' Hall.

TIMBER GIRTHING TAPES, TAILORS' TAPES, AND SHOEMAKERS' TAPES.

TIMBER GIRTHING TAPES, WITH RING AT END.

No.		3	4	5	6	7	8	9	10	11	12 feet.
	$\frac{1}{2}$-inch LINEN TAPE.										
450	Girth one side, Inches other side	2/3	2/6	3/-	3/6	4/-	4/6	5/3	5/9	6/6	7/- per dozen
	$\frac{3}{8}$-inch BEST LINEN TAPE.										
452	Girth one side, Inches other side	2/6	3/-	3/6	4/-	4/9	5/3	6/-	6/9	7/6	8/- „
	$\frac{3}{8}$-inch METALLIC WIRED TAPE.										
454	Girth one side, Inches other side	3/-	3/9	4/6	5/-	6/-	6/9	7/6	8/9	9/6	10/- „
	$\frac{3}{8}$-inch STEEL TAPE.										
456	Girth one side, Inches other side	12/-	14/6	17/-	20/-	22/6	25/-	27/6	30/-	33/-	36/- „
	$\frac{1}{2}$-inch STEEL TAPE.										
458	Girth one side, Inches other side	15/-	18/-	21/-	24/-	27/-	30/-	34/-	37/-	40/-	43/- „
	$\frac{1}{2}$-inch STEEL TAPE.										
460	Girth one side, Inches other side	18/-	21/6	25/6	29/-	32/6	36/-	40/-	44/-	48/-	51/- „
	$\frac{3}{4}$-inch STEEL TAPE										
462	Girth one side, Inches other side	21/-	25/-	29/-	33/-	38/-	42/-	46/-	51/-	55/-	59/- „

These Tapes may be had marked girth both sides, if required, at same price.

SHOEMAKERS' TAPES.

Marked 24 inches in 8^{ths} one side, and shoe sizes on other side.

No.							
465	$\frac{1}{2}$ -inch Linen Tape	10/-	per gross.
466	$\frac{3}{8}$ -inch Linen Tape	11/-	per gross.
467	$\frac{3}{8}$ -inch Metallic Wired Tape	15/-	per gross.

TAILORS' TAPES,

60 inches long.

Marked any foreign measures at same prices.

	Marked on one side.	Marked on both sides.
$\frac{1}{2}$ -inch Tape	No. 470. 10/- per gross.	No. 471. 14/- per gross.
$\frac{1}{2}$ -inch Linen Tape	No. 472. 14/- „	No. 473. 17/- „
$\frac{3}{8}$ -inch Linen Tape	No. 474. 17/- „	No. 475. 20/- „
$\frac{3}{8}$ -inch Metallic Wired Tape	No. 476. 21/- „	No. 477. 24/- „
$\frac{3}{8}$ -inch Steel Tape, in Morocco case		16/- per dozen.

TAILORS' GRADUATING TAPES.

No. 478. 2/- per set.



PRICE LIST

OF

BOXWOOD, IVORY, BRASS AND STEEL

MEASURING RULES,

ENGINE DIVIDED STEEL STRAIGHT EDGES,

MEASURING TAPES,

WITH

METALLIC WIRE, STEEL, & LINEN TAPES,

BRASS, IRON, AND WOOD

SPIRIT LEVELS, &c.,

MANUFACTURED BY

JOHN RABONE & SONS,

(ESTABLISHED 1784),

HOCKLEY ABBEY WORKS,

BIRMINGHAM.

TRADE MARK.



TRADE MARK.



ORDERS EXECUTED ONLY THROUGH MERCHANTS AND FACTORS.

ENTERED AT STATIONERS' HALL

July, 1878.

